

HP LaserJet MFP M72630dn printer



Count on legendary HP performance and reliability at a low price. Help increase value and decrease budget with low running costs. This easy-to-use MFP is ready to take on your business printing with robust paper handling and versatile options.



HP Quality, Affordable Price

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Print premium, professional-quality documents with sharp text and crisp graphics.
- Get consistent, professional-quality and performance you count on with Original HP toner cartridges and drums.

Solid Productivity

- Send scans to email or your PC, right from the MFP. Capture and send for simple filing and sharing.
- Load up to 100 pages into the auto document feeder. Optional inner finishing can increase office productivity.

Solid Productivity

- Easy-to-use 7" intuitive touchscreen color graphic display helps keep business moving
- Print and share documents from mobile devices via Airprint™, Mopria® and Google Cloud Print™.
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.¹

Security Capabilities

- Help ensure important documents and confidential information stay secure.
- Help regulate printing costs by assigning which users have authorized permissions.
- Protect data and network from unauthorized access with encryption, overwriting, industry standard security.

Product walkaround

Accessories, Supplies and Support

Supplies	W1002YC HP W1002YC Black Contract LaserJet Toner Cartridge (33,000 pages)
	W9006MC HP W9006MC Black Managed LaserJet Imaging Drum (~200,000 pages)
	W9007MC HP W9007MC Managed LaserJet Toner Collection Unit (100,000 pages)
	Z9M06A HP LaserJet 110V Fuser Assembly
	Z9M07A HP LaserJet 220V Fuser Assembly
	Z7Y83A HP LaserJet E7 Trays 2-x Rollers
	Z7Y88A HP LaserJet MP Roller
	Z9M08A HP LaserJet Transfer Roller
	Z9M05A HP LaserJet Black Developer Unit
	3KR68A HP ADF Separation Pad
3KR69A HP ADF Pick Roller Assembly	
Accessories	6KW89A HP LaserJet MFP Analog Fax Accessory 160
	Y1F97A HP LaserJet Dual Cassette Workgroup Feeder
	Y1G00A HP LaserJet Inner Finisher
	Y1G02A HP LaserJet Inner Finisher Hole 2/3 Punch
	Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch
	Y1G13A HP LaserJet Inner/Booklet Staples
	Y1G15A HP LaserJet Workgroup Job Separator
	Y1G17A HP LaserJet Printer Cabinet
	Y1G23A HP LaserJet Second Exit Accessory
Service and Support	U9VU4E HP 1 year Next Business Day w/Defective Media Retention Service for LaserJet M726xx MFP
	U9VV1E HP 1 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
	U9VV2E HP 3 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
	U9VV3E HP 4 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
	U9VV4E HP 5 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
	U9VV9PE HP 1 year Post Warranty Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)
	U9VW0PE HP 2 year Post Warranty Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only)

Technical specifications

Model	HP LaserJet MFP M72630dn printer
Product number	Z2N50A
Functions	Print, Copy, Scan (fax and wireless optional)
Control panel	4 LED Lights (Power/Wakeup, Interrupt, Status, ECO); 24 Buttons (Power/Wakeup, Interrupt, Stop, Start, Job Status, Counter, Eco, Clear, Redial/Pause, Logout/ID, On Hook Dial, Reset, 12 Numeric Keypad (0-9, *, #))
Print	
Print technology	Laser
Print speed	Black (A4, normal): Up to 30 ppm; Black (A4, duplex): Up to 20 ipm
First page out	Black (A4, ready): As fast as 8 sec; Black (A4, duplex): As fast as 31 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi (with reduced speed)
Monthly duty cycle	Up to 80,000 pages (per month) A4; Recommended monthly page volume: Up to 45,000 pages (per month)
Standard print languages	PCL6, Postscript 3, PDF (v1.7)
Fonts and typefaces	PCL: 95 Scalable Fonts (Include OCR-A / OCR-B); 1 Bitmap, PS3: 136 Scalable Fonts
Print area	Print margins: Top: 4 mm, Bottom: 4 mm, Left: 4 mm, Right: 4 mm; Maximum print area : 297 x 432 mm
Duplex printing	Automatic (standard)
Copy	
Copy speed	Black (A4): Up to 30 cpm
Copier specifications	ID Copy, N-Up, Booklet, Auto Fit, Book Copy, Watermark, Stamp, Job Build, Edge Erase, Image Shift, Image Adjustment, Background Adjustment, Preset Programs; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 600 x 600 dpi; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed	Normal (A4): Up to 45 ipm (b&w), up to 45 ipm (color) ; Duplex (A4): Up to 18 ipm (b&w), up to 18 ipm (color)
Scan file format	PDF, JPG, TIFF, XPS, Searchable PDF (with optional HDD), Compact PDF, PDF/A, PDF Encryption, Digital Signature in PDF
Scanner specifications	Scanner type: Flatbed, Reverse ADF, Mirror Moving Type(MMT) Scanner with Color CCD; Scan technology: Color CCD; Scan input modes: Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory (with optional HDD); Save to PC Scan software: user application via TWAIN or WIA; Twain version: Version 1.9; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 297 x 437 mm; Optical scan resolution: Up to 600 x 600 dpi
Scanner advanced features	Scan destinations: Email; FTP; SMB; USB; WSD; PC
Scannable area	Minimum media size (flatbed): 25.4 x 25.4 mm Maximum media size (flatbed): 297 x 437 mm; Minimum media size (ADF): 140 x 130 mm Maximum media size (ADF): 297 x 437 mm
Bit depth/ Grey scale levels	2-bit / 256
Fax	
Fax	Yes; 33.6 kbps
Fax specifications	Fax memory: Up to 320 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; 256 levels of gray; Superfine: 300 x 300 dpi, 256 levels of gray; Quick dialing: Up to 500
Fax smart software features	Auto Redial; Caller ID; Secure Reception; Fax forwarding to Fax/Email/SMB/FTP; Job Build
Processor speed	1 GHz (dual core)
Connectivity	
Standard	Hi-Speed USB 2.0; Host USB; built in Gigabit Ethernet 10/100/1000 Base-TX network port
Optional	Wireless LAN/NFC kit (China SS474E#AB2); (India SS474F#ACJ);(RoAP SS474B#EEE); Foreign Device Interface Kit (China SS421C#AB2); (India SS421D#ACJ); (RoAP SS411B#EEE); Fax kit (China SS411E#AB2); (India SS411F#ACJ); (Taiwan SS411C#ABD); (Vietnam SS411F#ACJ); (RoAP SS411B#EEE)
Mobile printing capability	Apple AirPrint, Mopria-certified, Google Cloud Print, PrinterOn Cloud Print
Supported network protocols	TCP/IPv4; IPv6; DHCP; BOOTP; AutoIP; DNS; DDNS; WINS; Standard TCP/IP; LPR/LPD; IPP; ThinPrint; Google Cloud Print; AirPrint; WSD print; FTP print; HTTP; SNMP(V1/2c/3);Telnet; SLP; Bonjour; UPnP(SSDP);WSD Discovery; SMTP; FTP; LDAP; SMB; Kerberos
Network capabilities	Standard (built-in Gigabit 10/100/1000 Ethernet)
Hard disk	Optional 320 GB (user available 300) hard disk drive
Memory	Standard: 1.5 GB; Maximum: 1.5 GB
Media handling	
Number of paper trays	Standard: 3; Maximum: 5
Media types	Paper (Plain, HP EcoEffICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g, Cardstock 176-220g, Labels, Letterhead, Envelope, Preprinted, Colored)
Media size	Custom (metric): Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 354 mm; Tray 3: 148 x 210 to 297 x 432 mm Supported (metric): A3; A4; A5; A6; B4 (UIS); B5 (UIS); 8K; 16K; Oficio 216x340mm ADF: A3; A4; A5; B4; Legal; Letter; 11 x 17; Statement; Width: 148 to 297 mm (5.8 to 11.7 in); Length: 148 to 432 mm (5.8 to 17 in)
Media handling	Standard input: 1140 sheets; 100-sheet multi-purpose tray, 2 x 520-sheet input tray STD Standard output: 500 sheet face-down output bin Optional input: Optional 2 x 520 Dual Cassette Feeder ADF: Up to 100 sheets
Media weight	Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ²
Input capacity	Tray 1: Sheets: 100; Envelopes: 40 Tray 2: Sheets: 520 Tray 3: Sheets: 520 Maximum: Up to 2280 sheets ADF: Up to 100 sheets
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 40 envelopes Maximum: Up to 550 sheets (with optional inner finisher)
Compatible operating systems	Windows XP (32/64 bit), Vista (32/64 bit), 2003 Server (32/64 bit), 2008 Server (32/64 bit), Win7 (32/64 bit), 2008 Server R2 (64 bit), Win8 (32/64 bit), Win8.1 (32/64 bit), 2012 Server (64 bit), 2012 Server R2 (64 bit) / Mac OS 10.6- 10.10 / Linux: Red Hat Enterprise Linux 5, 6, 7 / Fedora 13, 14, 15, 16, 17, 18, 19, 20, 21 / openSUSE 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, 13.2 / Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10 / SUSE Linux Enterprise Desktop 11, 12 / Debian 6, 7 / Mint 13, 14, 15, 16, 17
Compatible network operating systems	Windows XP Service Pack 3, Windows Server 2003, Windows Vista, Windows 7/8, Windows Server 2008 R2, Windows 10, Windows Server 2016, Mac OS X 10.6-10.10, Linux: Red Hat Enterprise Linux (5, 6, 7), Fedora (15, 16, 17, 18, 19, 20, 21, 22), openSUSE (11.4, 12.1, 12.2, 12.3, 13.1, 13.2), Ubuntu (11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10), SUSE Linux Enterprise Desktop (11, 12), Debian (6, 7, 8), Mint (13, 14, 15, 16, 17)
Minimum system requirements	Windows: Windows XP Service Pack 3 and Windows XP Server 2003: Intel Pentium III 1 GHz (Pentium IV 2 GHz), RAM: 512 MB (1 GB), Free HDD Space: 1.5 GB; Windows XP Server 2008: Intel Pentium III 1 GHz (Pentium IV 2 GHz), RAM: 512 MB (2 GB), Free HDD Space: 10 GB; Windows Vista, Intel Pentium IV 3 GHz, RAM: 512 MB (1 GB), Free HDD Space: 15 GB; Windows 7: Intel Pentium IV 1.4 GHz (x64) processors (2 GHz or faster), RAM: 512 MB (2 GB); Free HDD Space: 10 GB; Windows 8, Windows 8.1, Windows 10, Windows Server 2016: Intel Pentium IV 1.4 GHz 32-bit or 64-bit processor or higher, RAM: 2 GB (2 GB), Free HDD Space: 20 GB; Windows Server 2012, Windows Server 2012 R2: Intel Pentium IV 1.4 GHz (x64) processors (2 GHz or faster), RAM: 512 MB (2 GB), Free HDD Space: 32 GB Mac: CPU: Intel® processors; RAM: 1 GB (2 GB); Free HDD space: 1 GB; Operating system: Mac OS X 10.6. CPU: Intel® processors; RAM: (2 GB); Free HDD space: 4 GB; Operating system: Mac OS X 10.7-10.10
Software included	HP LJ Network PC Fax, HP MFP Scan, HPMFP Scanto PC Setup, HP OCR Software, HP LaserJet Printer Software Uninstaller
Security management	Embedded Web Server: password protection, configurable login failure policy, configurable auto logout, secure browsing via SSL/TLS; Security Management: IP and Mac Filtering; Security protocol: 802.1x (EAP-MDS, EAP-MSCHAPv2, PEAP, TLS), IPsec, SNMPv3, User authentication: LDAP, SMB, Kerberos
Printer management	HP Web Jetadmin - discover and monitor
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum: 566 x 620 x 820 mm; Maximum: 977 x 620 x 1080 mm
Printer weight	59.5 kg
Operating environment	Temperature: 15 to 30°C Humidity: 20 to 80% RH
Storage conditions	Temperature: -10 to 40°C Humidity: 10 to 80% RH
Acoustics	Acoustic power emissions: 6.8 B(A) (printing mono simplex, A4 at 30 ppm) Acoustic pressure emissions: 51 dB(A) (printing mono simplex, A4 at 30 ppm)
Power	Requirements: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%). Not dual voltage, power supply varies by part number with # Option code identifier.; Consumption: 590 watts (printing), 590 watts (copying), 100 watts (ready mode), 1.5 watts (sleep); Power supply type: Internal (Built-in) power supply
Certifications	Electromagnetic emission standard: CISPR 32: 2012/EN 55032: 2012 Class A, EN 61000-3-2: 2014, EN 61000-3-3:2013, EN 55024:2010, GB9254-2008, GB17625.1-2012, EMC Directive 2014/30/EU with CE Marking (Europe), other EMC approvals as required by individual countries. ENERGY STAR® qualified; CECP Blue Angel compliant No; Please refer to the ECI document
Sustainable impact specifications	Mercury-free
Country of origin	Made in China
What's in the box	Z2N50A LaserJet MFP M72630dn Printer; Power Cable; Hardware Install Guide; Software CD (Includes User Guide)
Warranty	90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Footnotes

¹ Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M72625dn and HP LaserJet MFP M72630dn. HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

² Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

³ Purchase of optional paper tray required to reach maximum input capacity. Installation from HP Authorized service provider only.

Technical specifications disclaimers

¹ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

