# HP Smart Tank 515 Wireless All-in-One



# Best in-class print quality, 1 cartridge-free printing with innovative design

This cartridge-free printer delivers uncompromising quality and up to 3 years of ink included in the box. 2 Get faster connections with dual-band Wi-Fi,<sup>3</sup> and easy mobile printing with the best in-class mobile printing app – HP Smart.4,5





## Highlights

- CISS Technology cartridge-free printer with innovative design
- Print, copy, scan, wireless
- Several years of print in the box (up to 18 000 black or 8 000 colour pages)
- Clean, easy self-refill
- User-replaceable print heads

















#### Innovative cartridge-free ink printer – for high-volume, low-cost printing

- Up to 18,000 black pages or up to 8,000 colour pages already in the box. 6
- Easily monitor and maintain ink levels with an integrated tank design and an automatic ink
- Fast self-refill with spill-free, resealable bottles of high capacity. 7
- · Easily replaceable print heads.

#### Faster connections, easy productivity – wherever you are

- Freedom to work from virtually anywhere with HP Smart best in-class mobile printing app.<sup>4</sup>
- Optimise repetitive tasks with customisable shortcuts using Smart Tasks feature.<sup>4</sup>
- Get faster, more reliable connections with dual band Wi-Fi®.3
- Get up to 38% faster speeds compared to HP Ink Tank.<sup>8</sup>
- Up to 3 years free warranty.

### CISS technology delivers best in-class print quality

- Get thousands of high quality printouts right from the box at home and in office.
- Count on dark, crisp text, and get vibrant colour graphics for all your prints.
- Print fade-resistant photos that last.9
- Create borderless brochures, flyers, photos, and other documents that look great.

# **Product walkaround**

# Accessories, Supplies and Support

Supplies	1VV21AE HP GT53XL 135-ml Black Original Ink Bottle (~6,000 pages)	
	MOH54AE HP GT52 Cyan Original Ink Bottle (~8,000 pages)	
	MOH55AE HP GT52 Magenta Original Ink Bottle (~8,000 pages)	
	MOH56AE HP GT52 Yellow Original Ink Bottle (~8,000 pages)	
	6ZA17AE HP 6ZA17AE Black Printhead	
	6ZA18AE HP 6ZA18AE Tri-color Printhead	
Service and Support	UC3C1E HP 3 year Standard Exchange for Smart Tank 510 Service UA5C0E HP 3 year Next Business Day Exchange for Smart Tank 510 Service UA5C2E HP 3 year Return to Depot for Smart Tank 510 Service UA5C2E HP 3 year Return to Depot for Smart Tank 510 Service (UC3C1E: available in All EMEA countries Except ME, Africa, South Africa, Israel, Turkey, UA5C0E: available in Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia, UA5C2E: available in Russia, ME, Africa, South Africa, Israel, Turkey)	

# **Technical specifications**

Model         HP Smart Tank 515 Wireless All-in-One           Product number         1TJ09A	
Floudet Humber 11309A	
Functions Print, scan, copy, wireless	
	ock-Copy, Wi-Fi, Info, Power), with one ICON LCD for display
Print	de-Copy, with mild, Fower, with the Icon tech for dispray
Print technology HP Thermal Inkjet	
	p to 5 ppm; <b>Black (General Office)</b> : Up to 22 ppm <b>Colour (General Office)</b> : Up to 16 ppm
First page out <sup>7</sup> Black (A4, ready): As fast as 14 sec Colour (A4, ready): A	
	st): Up to 4800 x 1200 optimised dpi colour (when printing from a computer and 1200 input dpi)
Monthly duty cycle Up to 1000 pages A4; Recommended monthly page vo	ume: 200 to 800
Standard print languages HP PCL 3 GUI	
Print area Print margins Top: 3 mm, Bottom: 3 mm, Left: 3 mm, R	ght: 3 mm; Maximum print area : 216 x 355 mm
Duplex printing Manual (driver support provided)	
Сору	
Copy speed <sup>4</sup> Black (A4, ISO): Up to 10 cpm; Colour (A4, ISO): Up to 2 of	pm
Copier specifications Number of Copies, Resize, Quality, Lighter/Darker, Pape	size, Papertype, ID Copy, Enhancement; Maximum number of copies: Up to 99 copies; Copy resolution: Up to 600 dpi; Reduce/Enlarge: Via HP Smart app
Scan	
Scan file format JPEG, TIFF, PDF, BMP, PNG	
scan resolution: Up to 1200 dpi	age Sensor (CIS); Scan input modes: Front Panel Scan; Copy; HP Software; EWS; Twain version: Version 2.1; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical
Scannable area Maximum media size (flatbed): 216 x 297 mm	
Bit depth/ Grey scale levels 24-bit / 256	
Digital sending Standard: Everyday scan (scan to PDF); HP Smart Tasks	
Fax	
Fax , Not Supported	
Processor speed 800 MHz	
Connectivity	
Standard Hi-Speed USB 2.0, Wi-Fi, Bluetooth LE  Mobile printing capability <sup>3</sup> Apple AirPrint; Mopria Print Service; HP Smart app; Goo	No Cloud Drint W. W. F. Direct Drinting
Supported network protocols 9100, SNMP, SLP, IPP, WS-Print, Wireless, LPR	ite Cloud Print,", Wren Direct Printing
Network capabilities Yes (via Wi-Fi)	
Memory Standard: 256 MB; Integrated memory ;Maximum: 256	MR
Media handling	
Number of paper trays Standard: 1 ;Maximum: 1	
	pers, Photo papers, Envelopes, other specialty inkjet papers
Media size Custom (metric): 76.2 x 127 to 215.9 x 355.6 mm Supp	orted (metric): A4; B5; A6; DL envelope
Media handling Standard input: 100 sheet input tray Standard output:	0-sheet output tray
Media weight Plain paper: 60 to 90 g/m²; Envelopes: 75 to 90 g/m²; Constitution of the second of the	andre up to 200 almas Dhoto papor up to 200 almas
	aras. ap to 200 g/m-, Fnoto paper. ap to 300 g/m-
Input capacity Maximum: Up to 100 sheets	arus. ap to 200 gim-, Frioto paper. ap to 500 gim-
	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum</b> : Up to 30 sheets
Output capacity Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems Windows 11; Windows 10; Windows 8; Windows 8.1; W	
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop  Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W  Compatible network operating  systems  Windows 11	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum:</b> Up to 30 sheets ndows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop  Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W  Windows 11  Windows 11  Windows 11  Windows 11  Windows Windows 10, 8.1, 8.7: 32/64-bit, 2 GB availa  Mac: 05 X v10.11 El Capitan and above, Internet Access	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum</b> : Up to 30 sheets
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop  Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W  Compatible network operating systems  Windows: Unidows 10, 8.1, 8, 7; 32/64-bit, 2 GB availa  Windows: Windows 10, 8.1, 8, 7; 32/64-bit, 2 GB availa  Mac OS X v10.11 EL Capitan and above, Internet Access  Software included  Available from http://www.support.hp.com/drivers	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum:</b> Up to 30 sheets ndows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Compatible network operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Windows 11  Windows 11  Windows 10, 8.1, 8, 7:32/64-bit, 2 GB availa Mac 05 x v10.11 EL Capitan and above, Internet Access Software included  Available from http://www.support.hp.com/drivers  Security management  No	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum:</b> Up to 30 sheets ndows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Windows 11 Windows 11 Windows 11, 8,7; 32/64-bit, 2 GB availa Mac. OS X v10.11 El Capitan and above, Internet Access Software included  Available from http://www.support.hp.com/drivers  Dimensions and weight	es Labels: Up to 10 sheets Cards: Up to 30 cards Maximum: Up to 30 sheets ndows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ple hard disk space, Internet connection, USB port, Internet Explorer.
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop  Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; WI  Windows 11  Windows 11  Windows 11  Windows 11, 8, 7; 32/64-bit, 2, GB availa  Mac OS X v10.11 El Capitan and above, Internet Access  Software included  Available from http://www.support.hp.com/drivers  No  Dimensions and weight  Printer dimensions (W x D x H) <sup>1</sup> Minimum 447 x 373 x 158 mm; Maximum: 449 x 605.6	es Labels: Up to 10 sheets Cards: Up to 30 cards Maximum: Up to 30 sheets ndows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ple hard disk space, Internet connection, USB port, Internet Explorer.
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Compatible network operating systems  Windows 11  Windows 11  Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB availa Mac .OS X v10.11 EL Capitan and above, Internet Access Software included  Available from http://www.support.hp.com/drivers Security management No Dimensions and weight  Printer dimensions (W x D x H) <sup>1</sup> Minimum 447 x 373 x 158 mm; Maximum: 449 x 605.69  Printer weight  S.14 kg	es Labels: Up to 10 sheets Cards: Up to 30 cards Maximum: Up to 30 sheets ndows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ple hard disk space, Internet connection, USB port, Internet Explorer.
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Compatible network operating systems  Windows 11 Windows 10 Windows 11 Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB availa Mac .OS X v10.11 EL Capitan and above, Internet Access Software included  Available from http://www.support.hp.com/drivers No Dimensions and weight Printer dimensions (W x D x H) <sup>1</sup> Minimum 447 x 373 x 158 mm; Maximum: 449 x 605.69 Printer weight  5.14 kg Operating environment  Temperature: 5 to 40°C Humidity: 20 to 80% RH	es Labels: Up to 10 sheets Cards: Up to 30 cards Maximum: Up to 30 sheets ndows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ple hard disk space, Internet connection, USB port, Internet Explorer.
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop  Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W  Compatible network operating systems  Windows 11  Windows 11  Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB availa  Mac .OS X v10.11 EL Capitan and above, Internet Access  Software included  Available from http://www.support.hp.com/drivers  Security management  No  Dimensions and weight  Printer dimensions (W x D x H) <sup>1</sup> Minimum 447 x 373 x 158 mm; Maximum: 449 x 605.69  Printer weight  5.14 kg  Operating environment  Temperature: -40 to 60°C Humidity. 5 to 99% RH (non-condensing)	es Labels: Up to 10 sheets Cards: Up to 30 cards Maximum: Up to 30 sheets ndows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ple hard disk space, Internet connection, USB port, Internet Explorer.
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Compatible network operating systems  Minimum system requirements  Mac 05 X v 10.11 El Capitan and above, internet Access Software included  Available from http://www.support.hp.com/drivers  Security management  No Dimensions and weight Printer dimensions (W x D x H) <sup>1</sup> Minimum 447 x 373 x 158 mm; Maximum: 449 x 605.6  Operating environment  Temperature: 5 to 40°C Humidity: 20 to 80% RH  Storage conditions  Acoustics  Acoustic power emissions: 6.5 B(A)	es Labels: Up to 10 sheets Cards; Up to 30 cards Maximum: Up to 30 sheets Indows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  Die hard disk space, Internet connection, USB port, Internet Explorer.  S x 258.7 mm
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Compatible network operating systems  Windows 11  Windows 11  Windows 11  Windows Windows 10, 8.1, 8, 7; 32/64-bit, 2 GB availa Mac OS X v10.11 El Capitan and above, Internet Access Software included  Available from http://www.support.hp.com/drivers  No Dimensions and weight  Printer dimensions (W x D x H) <sup>1</sup> Minimum 447 x 373 x 158 mm; Maximum: 449 x 605.6  Printer weight  5.14 kg  Operating environment  Temperature: 5 to 40°C Humidity: 20 to 80% RH  Storage conditions  Acoustics  Acoustics  Acoustics  Acoustic power emissions: 6.5 B(A)  Requirements: Injury voltage: 220 to 240 VAC (+/- 10%, Consumption: 0.12 watts (manual-off), 3.12 watts (really plotal Electricity Consumption (TEC): 0.13 kWh/Week; Power supply type literand built in literal b	es Labels: Up to 10 sheets Cards: Up to 30 cards Maximum: Up to 30 sheets Indows 7; macOS 10.11 EI Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  le hard disk space, internet connection, USB port, Internet Explorer.  5 x 258.7 mm
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Compatible network operating systems  Windows: Windows 10, 8.1, 8, 7; 32/64-bit, 2 GB availa Mac 05 X v10.11 El Capitan and above, Internet Access Software included  Available from http://www.support.hp.com/drivers Security management No Dimensions and weight Printer dimensions (W x D x H) <sup>1</sup> Printer dimensions (W x D x H) <sup>1</sup> Printer dimensions (W x D x H) <sup>1</sup> Printer weight  5.14 kg Operating environment  Temperature: -40 to 50°C Humidity. 51 op 96; RH (non-condensing)  Acoustics  Acoustic power emissions: 6.5 B(A)  Requirements: Input voltage: 220 to 240 VAC (+/-10%, Power supply, type: Internal built in Energy savings feature technology  HP Auto-Off Technology	es Labels: Up to 10 sheets Cards; Up to 30 cards Maximum: Up to 30 sheets Indows 7; mac0S 10.11 El Capitan; mac0S 10.12 Sierra; mac0S 10.13 High Sierra; mac0S 10.14 Mojave  Die hard disk space, Internet connection, USB port, Internet Explorer.  5 x 258.7 mm  1.50/60 Hz (+/- 3 Hz); y), 0.75 watt (sleep);
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Compatible network operating systems  Windows: Windows 10, 8.1, 8, 7; 32/64-bit, 2 GB availa Mac 05 X v10.11 El Capitan and above, Internet Access Software included  Available from http://www.support.hp.com/drivers Security management No Dimensions and weight Printer dimensions (W x D x H) <sup>1</sup> Printer dimensions (W x D x H) <sup>1</sup> Printer dimensions (W x D x H) <sup>1</sup> Printer weight  5.14 kg Operating environment  Temperature: -40 to 50°C Humidity. 51 op 96; RH (non-condensing)  Acoustics  Acoustic power emissions: 6.5 B(A)  Requirements: Input voltage: 220 to 240 VAC (+/-10%, Power supply, type: Internal built in Energy savings feature technology  HP Auto-Off Technology	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum</b> : Up to 30 sheets Indows 7; macOS 10.11 EI Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ble hard disk space, internet connection, USB port, Internet Explorer.  5 x 258.7 mm  5,50/60 Hz (+/- 3 Hz); y), 0.75 watt (sleep);  55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 301 489-1 V2.1.1:2017; EAC (Russia)
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Compatible network operating systems  Windows 11 Windows 10; Windows 8; Windows 8, Windows 8.1; W Windows 11 Windows 11 Windows 11 Windows 11 Windows 11 Windows 11 Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB availa Mac OS X v10.11 El Capitan and above, Internet Access Software Included  Available from http://www.support.hp.com/drivers No Dimensions and weight Printer dimensions (W x D x H) 1 Winimum 447 x 373 x 158 mm; Maximum: 449 x 605.6 Printer weight  5.14 kg Operating environment Temperature: - 40 to 60°C Humidity. 20 to 80% RH Storage conditions Temperature: - 40 to 60°C Humidity. 5 to 90% RH (non-condensing) Acoustics  Acoustic power emissions: 6.5 B(A) Requirements: Input voltage: 220 to 240 VAC (+/-10% Consumption. 0.12 watts (manual-off), 3.12 watts (rea Typical Electricity Consumption (TEC): 0.13 kWh/Week; Power supply type Internal built in Energy savings feature technology  Electromagnetic emission standard: CISPR 32:2015/EN Telecom compilance: EN 300 328 V2.1.1:2016; EN 301 Sustainable impact specifications	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum</b> : Up to 30 sheets Indows 7; macOS 10.11 EI Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ble hard disk space, internet connection, USB port, Internet Explorer.  5 x 258.7 mm  5,50/60 Hz (+/- 3 Hz); y), 0.75 watt (sleep);  55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 301 489-1 V2.1.1:2017; EAC (Russia)
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 11  Systems  Windows 11 windows 10; Windows 8; Windows 8.1; Windows 11  Windows III; Windows 10; Windows 8; Windows 8, Windows 11, 8.1, 8.7; 32/64-bit, 2 GB available from http://www.support.hp.com/drivers  Software included  Available from http://www.support.hp.com/drivers  Security management  No  Dimensions and weight  Printer dimensions (W x D x H) <sup>1</sup> Minimum 447 x 373 x 158 mm; Maximum; 449 x 605.6  Printer weight  5.14 kg  Operating environment  Temperature: 5 to 40°C Humidity. 20 to 80% RH  Storage conditions  Temperature: -40 to 60°C  Humidity: 5 to 90% RH (non-condensing)  Acoustics  Acoustics  Requirements: Input voltage: 220 to 240 VAC (+/- 10%, Consumption: 0.12 watts (mean 13/2) act (11 consumption: 0.12 watts (mean 13/2) act (12 consumption: 0.12 watts (mean 13/2) act (12 consumption: 0.12 watts (mean 13/2) act (13 consumption: 0.12 watts (mean 13/2)	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum</b> : Up to 30 sheets nodows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ble hard disk space, internet connection, USB port, Internet Explorer.  5 x 258.7 mm  5 x 258.7 mm  5 x 258.7 mm  5 y 258.7 mm  5 x 258.7 mm  5 x 258.7 mm  5 x 258.7 mm
Output capacity  Standard: Up to 30 sheets Envelopes: Up to 10 envelop Compatible operating systems  Windows 11; Windows 10; Windows 8; Windows 8.1; W Compatible network operating systems  Windows 11 Windows 10; Windows 8; Windows 8, Windows 8.1; W Windows 11 Windows 11 Windows 11 Windows 11 Windows 11 Windows 11 Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB availa Mac OS X v10.11 El Capitan and above, Internet Access Software Included  Available from http://www.support.hp.com/drivers No Dimensions and weight Printer dimensions (W x D x H) <sup>1</sup> Minimum 447 x 373 x 158 mm; Maximum: 449 x 60.5.6 Printer weight  5.14 kg Operating environment Temperature: -40 to 60°C Humidity. 20 to 80% RH Storage conditions  Acoustic power emissions: 6.5 B(A) Requirements: Input voltage: 220 to 240 VAC (+/-10% Consumption: 0.12 watts (manual-off), 3.12 watts (rea Typical Electricity Consumption (TEC): 0.13 kWh/Week; Power supply type Internal built in Energy savings feature technology  Electromagnetic emission standard: CISPR 32:2015/EN Telecom compilance: EN 300 328 V2.1.1:2016; EN 301 Sustainable impact specifications No Made in China What's in the box  No Power Setup guide; Reference guide; Regulate Repeacking flyer; Setup guide; Reference guide; Regulate	es Labels: Up to 10 sheets Cards: Up to 30 cards <b>Maximum</b> : Up to 30 sheets Indows 7; macOS 10.11 EI Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave  ble hard disk space, internet connection, USB port, Internet Explorer.  5 x 258.7 mm  5,50/60 Hz (+/- 3 Hz); y), 0.75 watt (sleep);  55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 301 489-1 V2.1.1:2017; EAC (Russia)

#### Footnotes

1 Best in-class plain paper and photo print quality using 0EM inks compared to majority of leading non-HP 0EM CISS ink tank platforms < 449.99. Market share as reported by Q1 2019 Hardcopy Peripherals Tracker, 2019 Q1 Release. Test results should be similar for same platform with different model numbers using the same OEM ink formula. HP Smart Tank printers are also branded as HP Smart Tank Plus in some regions. Detail in May 2019 handson lab report by Keypoint Intelligence - Buyers Lab using OEM inks. See http://www.keypointintelligence.com/hpsmarttankplus.

<sup>2</sup> Based up on 200 pages per month usage. Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Some ink from included bottles is used to start up the printer. For details see http://www.hp.com/go/learnaboutsupplies.

<sup>3</sup> Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at http://www.hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps).

<sup>4</sup> Requires the HP Smart app download. For details on local printing requirements seehttp://www.hp.com/go/mobileprinting.
<sup>5</sup> Compared to OEM mobile printing apps for the majority of top-selling inkjet & laser printers & all-in-ones for home & home office, priced less than or equal to €429.99. Market share as reported by IDC CYQ2 2018 Hardcopy Peripherals Tracker. Claim based on research of printer manufacturer's mobile print apps and Keypoint Intelligence - Buyers Lab hands-on testing and study commissioned by HP. See September 2018 report at www.kevpointintelligence.com/HPSmartApp.

6 Black and composite colour average per bottle (cyan/magenta/yellow). Three GT53XL black bottles included in the box print up to 6,000 test pages each. Results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle may be required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see: http://www.hp.com/go/learnaboutsupplies.

<sup>7</sup> When used in accordance with set up instructions.

B Compared with HP Smart Tank/Ink Tank All-in-One Printer series. Excludes first set of ISO test pages. For details, see http://www.hp.com/go/printerclaims.

<sup>9</sup> For more information, see http://www.hp.com/go/printpermanence.

#### Technical specifications disclaimers

<sup>1</sup> Dimensions vary as per configuration.

<sup>2</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

<sup>3</sup> Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only, Excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see http://www.hpconnected.com. Print times and connection speeds may vary. AirPrint supports macOS Mojave, iOS 4.2 or later and requires the printer be connected to the same network as your macOS or iOS device. AirPrint, the AirPrint Loqo and macOS are trademarks of Apple Inc. Windows is a trademark of the Microsoft group of companies.

<sup>4</sup> Speed specifications have been updated to reflect current industry testing methods.

5 ISO speeds measured using ISO/IEC 24734, ISO/IEC 17629 or ISO/IEC 29183. In simplex mode. Excludes first page or first set of ISO test pages for PPM measurements. For details see: http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>6</sup> Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies

<sup>7</sup> For details see: http://www.hp.com/go/printerclaims.













#### http://www.hp.com/uk

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



