HP LaserJet Pro 3004dw Printer



Get fast printing speeds and easy management tools with LaserJet Pro.

This printer is built for powerful productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block • Get productivity in the palm of your hand. Print and save time with Shortcuts from HP Smart.² cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More

at:





- Support your small workteams with this laser printer, designed for up to 7 users.
- Print more efficiently. You can save time, paper, and costs with duplex speeds at 35 ppm.¹

Seamless management.

- Centralize your print management. HP Web Jetadmin makes it easy with its suite of features.⁴
- Set up your printers quickly. Streamlined setup makes it easy to set up and get back to business.
- Avoid interruptions with Wi-Fi® that intelligently looks for the best connection to stay on-line. ⁸ •

HP Wolf Pro Security.

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP JetAdvantage Security Manager.⁹

Product walkaround

HP LaserJet Pro 3004dw Printer

- 1. Built for the small workteams of up to 7 users
- 2. Automatic 2-sided printing
- 3. Pre-configured security settings
- 4. Fast printing, up to 33 ppm A4, 250-sheet standard paper capacity
- 5. Dual-band WiFi® with self heal, USB and Ethernet
- 6. Cassette type input tray



Accessories, Supplies and Support

Supplies	W1460A HP 146A Black Original Laser Jet Toner Cartridge (Average cartridge yields 1,700 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1460X HP 146X High Yield Black Original Laser Jet Toner Cartridge (Average cartridge yields 3,800 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Accessories	
Service and Support	UG481E HP 3 Year Onsite Exchange Service For Laser Jet Printers UG086E HP 3 Year Next Business Day Exchange Service For Laser Jet Printers UG289E HP 3 Year Return to Deport Service for Laser Jet Printers

Technical specifications

Model	HP LaserJet Pro 3004dw Printer
Product number	3659A
Functions	Protection of the second s
Control panel	4 Buttors (DN, Wireless, Info, Cancel/Resume); 3 Indicator LEDs (Paper, Attention, Tone).
Print	1.
Print technology	
Print speed ³	Black (A, normall- Up to 33 ppm; Black (A, duplex) Up to 20 pm
First page out ^s	Black (Av, ready): As fast as 7.0 sec. Black (Av, seep): As fast as 7.5 sec.
Print resolution	Black (best): Up to 1200 x 1200 dpi) Technology (60dpi with Resolution Enhancement technology (RE); HP ProRes 1200
Monthly duty cycle Printer smart software features	Up to 50,000 A4; Recommended monthly page volume: 350 to 2500 pages Automatic duplex, Easy 00BE; Smart security, Print always work, Print anywhere
Standard print languages	Automatic duples, tasy toole, sinal security init aways wurk, init anymere PLCs, PLCs, PS, DS, PLNs, PDE, INF, PNG, PLM PLCs, PLCS, PS, DS, PLNS, PDE, INF, PMG, PLM PLCS, PLCS, PLCS, PS, PLNS, PUS, PLM PLCS, PLCS, PLS, PLS, PLS, PLS, PLS, PLS, PLS, PL
Fonts and typefaces	
Print area	es scaader norsyperiors Phint marging for 23 mm, befter 423 mm, Left: 423 mm, Maximum print area: 207 x 348 mm
Duplex printing Processor speed	Automatic (standard) 800 MHz
	800 MHZ
Connectivity Standard	Hi-Speed USB device (compatible with USB 2.0 specifications); 10/100Mbps Ethernet: Wireless 802.11b/q/n, Dual band 2.4GHz/SGHz; BLE.
standard Mobile printing capability	Hi-speed UsB device (compatible with UsB 2U specifications); 10/10040ps Ethernet; Wreless 802.1 10/g/n, buad band 2.404/2/SGH2; BLE. HP Smart App; Apple AiPrint®"; Wi-FI® Direct printing; HP ROAM For Business; Optional ROAM Queue Printing
Supported network protocols	In a anisotropy, page winth a winth other printing in whome a consistency opportunity of the page winth other page with a set of the page
Network capabilities	
Memory	1 of reading proceeding of the Maximum 2 of the Maximum 2 of the Part of the P
Media handling	and and the control and manual control
lumber of paper trays	Standard: 1.Maximum: 1.Main Tray
Aedia types	Paper (tot sheets, plan, dossy lifn, labels), evelopes, card stork, postcards
Media size	Custom (metric): Width 76 to 216 mm; Length 127 to 356mm Supported (metric): A4, A5, A5-R, A6, B5(JIS); B6(JIS); B6(JIS); D6(toi (216x340); 16K (195 x 270 mm); 16K (195 x 270 mm); 16K (197 x 273 mm); L 9x13 cm; 10x15cm; Japanese Postcard; Double Japan Postcard Rotated; Japanese Postcard; Double Japanese
Media handling	Standard input: 1 main tray, 250 sheets or 10 envelopes Standard output: 150-sheet output tray
Media weight	60 to 163 g/m ²
input capacity	Tray 1: Sheets: up to 250; Ervelopes: up to 10 Maximum: Up to 250 sheets
Dutput capacity	Standard: Up to 150 sheets Envelopes: Up to 10 Maximum: Up to 150 sheets
Compatible operating systems	Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required; Linux (For more information, see https://developers.hp.com/hp-linux-imaging-and-printing)
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2018 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing.
Minimum system requirements	Windows: Microsoft® Windows® 11, 10, 7 SP1: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Microsoft® Internet Explorer or Edge. Mac Apple® macOS v10.15 Catalina, macOS v11 Big Sur, macOS v12 Monterey; 2 GB HD; Internet required
Software included	No CD inbox (except Indonesia and China Gov) Downloadable Software from hp.com, hpsmart.com/setup, in-OS app stores. #CD include HP Software Installer, Uninstaller, printer driver and other essential tools
Security management	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change; 802.1x authentication
Printer management	HP Smart, HPSM, Web JetAdmin, adminismart.com
Dimensions and weight	
Printer dimensions (W × D × H)	Minimum 367.0 x 398.2 x 216.2 mm; Madmum 367.0 × 758.8 × 366.1 mm
Printer weight	7.5 Kg
Operating environment	Temperature: 15 to 32.5*C Humidity: 30 to 70% RH
Storage conditions	Temperature -2010 60%
Acoustics	Acoustic power emissions 6.5 B(A) (printing at 33ppm) Acoustic pressure emissions: 53 dB(A)
Power	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/S0 Hz:220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/S0 Hz; Typical Electricity Consumption (TEC): 0.3 WiNhweek (Energy Star); Power supply type Internal (Bull-Inf) power supply type Internal (Bull-Inf) power supply ty
Certifications	RCM (Australia), TUV and GS Mark (Germany), BSM (Taiwan), CCC (China), BS (India), KC (South Korea), SRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, Energy Star, UL, Paraguay, Chie, Argentina, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR32-2012 & CISPR32-2012 & ENS5032-2013 + AC:2016 - Class & EN 61000-3-3-2014; EN 61000-3-3-2013; EN 55035-2017; FCC Title 47 (FR, Part 15 Class & PCE-5003), Issue 6 (FCP)
	LELU* Telecom complance: Wireless: EU RED 2014/53/EU; EN 301 489-1 V2.2.3 / EN 301 489-17: V3.2.0; EN 300 328: V2.1.1 / EN 301 893 V2.1.1; FCC Thle 47 (FR, Part 15 Subpart C & E / RSS 247 Issue 1, 2015 & RSS 102 Issue 5, 2015; IEC 62311:2007 / EN 62311:2008.
Sustainable impact specifications	Mercury free
Country of origin	Made in Vietnam
What's in the box ¹	3G658A HP LaserJet Pro 3004dw Printer, Preinstalled HP Black Original LaserJet Toner Cartridge; Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord

Footnotes

¹ Neasured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/qo/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document

complexity. ² R Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

⁵ HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart

⁶ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

⁷ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.

⁸ Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting 9 HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

Technical specifications disclaimers

¹ For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors

² Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁴ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration,

software application, driver, and document complexity. ⁵ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity











© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. in-en October 2023

