



# HP DeskJet 2332 All-in-One Printer (7WN44A)

## Overview

**Dependable printing and scanning, simple setup, and everyday documents at a great value.**

The simple way to get the essentials. With seamless setup from PC and dependable printing, you can handle your everyday printing, scanning, and copying needs with an affordable printer. Use HP Smart app for a simple setup, and you're ready to go.[1]

### **Do it all for one low price**

Get versatile performance and print, scan, and copy.

### **Quality you can count on**

Original HP ink cartridges deliver sharp text and vibrant graphics for all your everyday documents.

### **Simple setup from your PC**

Get started fast with easy setup. Use the HP Smart app to set up with USB in few easy steps.[1]

## Features



Seamless setup<sup>[1]</sup>

Tackle the essentials – print, scan, copy

Connect your printer with USB<sup>[4]</sup>

The world's #1 printer vendor<sup>[3]</sup>

Achieve high print speeds

Exceptional HP print quality

---

*[1] Requires the HP Smart app download. For details on local printing requirements see <http://hp.com/go/mobileprinting>. Certain features/software are available in English language only. Internet access required and must be purchased separately.*

*[3] Based on 2019Q1 shipments in the IDC Worldwide Quarterly Hardcopy Peripherals Tracker®, 2019Q1 Release. Includes shipments of all printing devices (inkjet printers, laser printers, copiers and multifunction devices, including production units).*

*[4] USB cable not included; purchase separately.*

## Specifications

|  |   |
|--|---|
| <b>Print quality black (best)</b>        | Up to 1200 x 1200 rendered dpi  |
| <b>Print quality color (best)</b>        | Up to 4800 x 1200 optimized dpi color (when printing from a computer on selected HP photo papers and 1200 input dpi)  |
| <b>Print speed</b>                       | Print speed up to 7.5 ppm (black) and 5.5 ppm (color)   |
| <b>Functions</b>                         | Print, copy, scan   |
| <b>Duplex printing</b>                   | Manual (driver support provided)  |
| <b>Duty cycle (monthly, A4)</b>          | Up to 1000 pages  |
| <b>Duty cycle (monthly, letter)</b>      | Up to 1000 pages  |
| <b>Printer smart software features</b>   | Manual Duplex   |
| <b>Energy savings feature technology</b> | HP Auto-Off Technology  |
| <b>Replacement cartridges</b>            | <p>NA: HP 67 Black Original Ink Cartridge (~120 pages yield) 3YM56AN; HP 67XL Black High Yield Original Ink Cartridge (~240 pages yield) 3YM57AN; HP 67XXL Black Extra High-Yield Original Ink Cartridge (~400 pages yield) 3YM59AN; HP 67 Tri-Color Original Ink Cartridge (~100 pages yield) 3YM55AN; HP 67XL Tri-Color High-Yield Original Ink Cartridge (~200 pages yield) 3YM58AN. NA Developed Markets ONLY: HP 67XXL Tri-Color Extra High-Yield Original Ink Cartridge (~330 pages yield) 6ZA16A; HP 67XXL Tri-Color Extra High-Yield Original Ink Cartridge (~330 pages yield) 3YP32BN. AP Developed Markets: 67 Black Original Ink Cartridge (~120 pages yield) 3YM56AA; HP 67XL Black High Yield Original Ink Cartridge (~240 pages yield) 3YM57AA; HP 67XXL Black Extra High-Yield Original Ink Cartridge (~400 pages yield) 3YM59AA; HP 67 Tri-Color Original Ink Cartridge (~100 pages yield) 3YM55AA; HP 67XL Tri-Color High-Yield Original Ink Cartridge (~200 pages yield) 3YM58AA. EMEA Markets: HP 305 Black Original Ink Cartridge (~120 pages yield) 3YM61AE; HP 305XL Black High-Yield Original Ink Cartridge (~240 pages yield) 3YM62AE; HP 305 Tri-Color Original Ink Cartridge (~100 pages yield) 3YM60AE; HP 305XL Tri-Color High-Yield Original Ink Cartridge (~200 pages yield) 3YM63AE; APJ Emerging Markets: HP 805 Black Original Ink Cartridge (~120 pages yield) 3YM73AA; HP 805XL Black High-Yield Original Ink Cartridge (~240 pages yield) 3YM71AA; HP 805 Tri-Color Original Ink Cartridge (~100 pages yield) 3YM72AA; HP 805XL Tri-Color High-Yield Original Ink Cartridge (~200 pages yield) 3YM70AA. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a><sup>[4]</sup></p> |
| <b>Connectivity, standard</b>            | 1 Hi-Speed USB 2.0  |
| <b>Network capabilities</b>              | None  |
| <b>Wireless capability</b>               | No  |
| <b>Mobile printing capability</b>        | Mobile Print Capability not supported   |
| <b>Software included</b>                 | WW: HP Printer Software, available online; AP Indo: CD Software included  |
| <b>Compatible Operating Systems</b>      | Windows 10, 7   |
| <b>Sustainable impact specifications</b> | None  |
| <b>Energy efficiency</b>                 | SEPA; CECP  |

|  |   |
|--|---|
| <b>Digital sending standard features</b> | No  |
| <b>Scan file format</b>                  | JPEG, TIFF, PDF, BMP, PNG   |
| <b>Scan input modes</b>                  | Front-panel scan  |
| <b>Scan technology</b>                   | Contact Image Sensor (CIS)  |
| <b>Scanner type</b>                      | Flatbed   |
| <b>Display</b>                           | None  |
| <b>Minimum dimensions (W x D x H)</b>    | 425.2 x 304.1 x 149.1 mm  |
| <b>Minimum dimensions (W x D x H)</b>    | 16.47 x 11.97 x 5.87 in   |
| <b>Weight</b>                            | 3.42 kg   |
| <b>Weight</b>                            | 7.55 lb   |
| <b>Power consumption</b>                 | 0.05 watts (Off), 1.83 watts (Ready), 0.83 watt (Sleep), 0.05 watts (Auto-off) <sup>[2]</sup>   |
| <b>Power supply type</b>                 | Internal  |
| <b>What's in the box</b>                 | HP DeskJet 2331 All-in-One printer; HP 67 Setup Black Cartridge; HP 67 Setup Tri-color Cartridge; Regulatory flyer; Setup guide; Reference guide; Power cord [For ink volume and page yield information, visit <a href="http://hp.com/go/learnaboutesupplies">http://hp.com/go/learnaboutesupplies</a> ] <sup>[6]</sup> |
| <b>Warranty</b>                          | One-year limited hardware warranty; 24-hour, 7 days a week support  |

## Additional specifications

|  |   |
|--|---|
| <b>Accessories</b>                                 | None  |
| <b>Acoustic power emissions (active copy)</b>      | 6.1 B(A)  |
| <b>Acoustic power emissions (active, printing)</b> | 6.2 B(A)  |
| <b>Acoustic pressure emissions</b>                 | 48 dB(A)  |
| <b>Automatic paper sensor</b>                      | No  |
| <b>Bit depth</b>                                   | 24-bit  |
| <b>Borderless printing</b>                         | No  |
| <b>Bottom margin (A4)</b>                          | 14.5 mm   |
| <b>Cable included</b>                              | AP EM only: Yes 1.5 m (USB) cable; AMS/EMEA: No, please purchase (USB) cable separately   |
| <b>Camera phone description</b>                    | No  |
| <b>Camera phone supported</b>                      | No  |
| <b>Color copy capability</b>                       | Yes   |
| <b>Color scanning</b>                              | Yes   |
| <b>Color(s) of printing supplies</b>               | Black; Cyan; Magenta; Yellow  |
| <b>Control panel</b>                               | 5 buttons (Cancel, Resume, Color Copy, Mono Copy, & Power); 2 LED Indicator lights(Color Ink and Black Ink)   |
| <b>Copier settings</b>                             | Auto-enlarge  |
| <b>Copies, maximum</b>                             | Up to 9 copies  |
| <b>Copy resolution (black graphics)</b>            | Up to 600 x 300 dpi   |
| <b>Copy resolution (black text)</b>                | Up to 600 x 300 dpi   |
| <b>Copy resolution (color text and graphics)</b>   | Up to 600 x 300 dpi   |
| <b>Copy speed black (ISO)</b>                      | Up to 6 cpm   |
| <b>Copy speed color (ISO)</b>                      | Up to 3 cpm   |
| <b>Count of cartons per pallet layer</b>           | 12  |
| <b>Count of layers in pallet</b>                   | 6   |
| <b>Country of origin</b>                           | Made in China   |
| <b>Dimensions with trays up (W x D x H)</b>        | 424.97 x 304.32 x 151.08 mm   |
| <b>Electromagnetic compatibility</b>               | EN 55032:2015 / CISPR 32:2015 Class B, EN 55024:2010 / CISPR 24:2010, EN 55035:2017 / CISPR 35:2016, EN 61000-3-2:2014 / IEC 61000-3-2:2014, EN 61000-3-3:2013 / IEC 61000-3-3:2013, FCC CFR 47 Part 15 Class B, ICES-003, Issue 6 Class B; GB4943.1-2011 (CCC -China), CNS 14336: 1999 & CNS13438 (BSMI-Taiwan), VCCI-2 (Japan) & EAC (Russia) |

|  |  |
|--|--|
| <b>Envelope Feeder</b>                         | No   |
| <b>Finished output handling</b>                | Sheetfed   |
| <b>First page out black (A4, ready)</b>        | As fast as 15 sec  |
| <b>First page out black (letter, ready)</b>    | As fast as 15 sec  |
| <b>First page out color (A4, ready)</b>        | As fast as 18 sec  |
| <b>First page out color (letter, ready)</b>    | As fast as 18 sec  |
| <b>Geographic availability</b>                 | AP   |
| <b>Ink types</b>                               | Dye-based (color); Pigment-based (black)                       |
| <b>Input capacity</b>                          | Up to 60 sheets  |
| <b>Left margin (A4)</b>                        | 3 mm   |
| <b>Levels of grayscale</b>                     | 256  |
| <b>Mac compatible</b>                          | No   |
| <b>Maximum Input Capacity (envelopes)</b>      | Up to 5 envelopes  |
| <b>Maximum Memory</b>                          | 128 MB SDRAM, 32 MB flash                                      |
| <b>Maximum dimensions (W x D x H)</b>          | 425.2 x 304.1 x 149.1 mm                                       |
| <b>Maximum dimensions (W x D x H)</b>          | 16.47 x 11.97 x 5.87 in  |
| <b>Maximum input capacity (10x15cm photos)</b> | Up to 20 sheets  |
| <b>Maximum input capacity (4x6 photo)</b>      | Up to 20 sheets  |
| <b>Maximum input capacity (cards)</b>          | Up to 20 cards   |
| <b>Maximum input capacity (labels)</b>         | Up to 10 sheets  |
| <b>Maximum input capacity (photo paper)</b>    | Up to 20 sheets  |
| <b>Maximum input capacity (sheets)</b>         | Up to 60 sheets  |
| <b>Maximum output capacity (cards)</b>         | Up to 20 cards   |
| <b>Maximum output capacity (envelopes)</b>     | Up to 5 envelopes  |
| <b>Maximum output capacity (labels)</b>        | Up to 10 sheets  |
| <b>Maximum output capacity (photo paper)</b>   | Up to 20 sheets  |
| <b>Maximum output capacity (sheets)</b>        | Up to 25 sheets  |
| <b>Maximum print area</b>                      | 216 x 355 mm   |
| <b>Media sizes supported</b>                   | A4; B5; A6; DL envelope  |
| <b>Media sizes supported</b>                   | Letter; legal; 4 x 6 in; 5 x 7 in; 8 x 10 in; No. 10 envelopes |
| <b>Media sizes supported, key</b>              | 4 x 6 in; Letter; Legal; Envelopes                             |
| <b>Media sizes supported, key</b>              | 10 x 15 cm; A4; Envelopes                                      |

|   |  |
|---|--|
| <b>Media sizes, custom</b>                  | 3 x 5 to 8.5 x 14 in   |
| <b>Media sizes, custom</b>                  | 89 x 127 to 215 x 279 mm   |
| <b>Media types</b>                          | Plain paper, Photo paper, Brochure paper   |
| <b>Media weight, recommended</b>            | 75 g/m <sup>2</sup>  |
| <b>Media weight, recommended</b>            | 20 lb  |
| <b>Media weight, supported</b>              | Letter: 16 to 32 lb; HP envelopes: 20 to 24 lb; HP cards: up to 110 lb; HP 4 x 6 inch photo paper: up to 145 lb  |
| <b>Media weight, supported</b>              | A4: 60 to 90 g/m <sup>2</sup> ; HP envelopes: 75 to 90 g/m <sup>2</sup> ; HP cards: up to 200 g/m <sup>2</sup> ; HP 10 x 15 cm photo paper: up to 300 g/m <sup>2</sup>   |
| <b>Memory</b>                               | Integrated memory  |
| <b>Minimum System Requirements</b>          | Windows 10, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer  |
| <b>Multitasking supported</b>               | No   |
| <b>Non-Operating Humidity Range</b>         | 5 to 90% RH (non-condensing)   |
| <b>Number of print cartridges</b>           | 2 (1 each black, tri-color)  |
| <b>Number of users</b>                      | 1-3 Users  |
| <b>Operating humidity range</b>             | 15 to 80% RH (non-condensing)  |
| <b>Operating temperature range</b>          | 41 to 104°F  |
| <b>Orderable supplies</b>                   | NA: HP 67 Black Original Ink Cartridge 3YM56AN; HP 67XL Black High Yield Original Ink Cartridge 3YM57AN; HP 67XXL Black Extra High-Yield Original Ink Cartridge 3YM59AN; HP 67 Tri-Color Original Ink Cartridge 3YM55AN; HP 67XL Tri-Color High-Yield Original Ink Cartridge 3YM58AN. NA Developed Markets ONLY: HP 67XXL Tri-Color Extra High-Yield Original Ink Cartridge 6ZA16A; HP 67XXL Tri-Color Extra High-Yield Original Ink Cartridge 3YP32BN. AP Developed Markets: 67 Black Original Ink Cartridge 3YM56AA; HP 67XL Black High Yield Original Ink Cartridge 3YM57AA; HP 67XXL Black Extra High-Yield Original Ink Cartridge 3YM59AA; HP 67 Tri-Color Original Ink Cartridge 3YM55AA; HP 67XL Tri-Color High-Yield Original Ink Cartridge 3YM58AA. EMEA Markets: HP 305 Black Original Ink Cartridge 3YM61AE; HP 305XL Black High-Yield Original Ink Cartridge 3YM62AE; HP 305 Tri-Color Original Ink Cartridge 3YM60AE; HP 305XL Tri-Color High-Yield Original Ink Cartridge 3YM63AE; APJ Emerging Markets: HP 805 Black Original Ink Cartridge 3YM73AA; HP 805XL Black High-Yield Original Ink Cartridge 3YM71AA; HP 805 Tri-Color Original Ink Cartridge 3YM72AA; HP 805XL Tri-Color High-Yield Original Ink Cartridge 3YM70AA. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a> |
| <b>Output capacity</b>                      | Up to 25 sheets  |
| <b>Package dimensions (W x D x H)</b>       | 18.70 x 7.52 x 13.94 in  |
| <b>Package dimensions (W x D x H)</b>       | 475 x 191 x 354 mm   |
| <b>Package weight</b>                       | 9.87 lb  |
| <b>Package weight</b>                       | 4.45 kg  |
| <b>Page yield (set-up/inbox cartridges)</b> | ~120 pages black, ~75 pages tri-color  |
| <b>Pallet dimensions</b>                    | 48 x 40 x 89.01 in   |

|  |  |
|--|--|
| <b>Pallet dimensions (W x D x H)</b>           | NA: 1219.2 x 1016 x 2261 mm; EMEA: 1200 x 1000 x 2261 mm; AP: 1219.2 x 1016 x 1907 mm  |
| <b>Pallet weight</b>                           | 715 lb   |
| <b>Pallet weight</b>                           | 325 kg   |
| <b>Paper handling input, standard</b>          | 60-sheet input tray  |
| <b>Paper handling output, standard</b>         | 25-sheet output tray   |
| <b>Paper trays, maximum</b>                    | 1  |
| <b>Paper trays, standard</b>                   | 1  |
| <b>Photo proofsheets supported</b>             | No   |
| <b>PictBridge supported</b>                    | No   |
| <b>Power</b>                                   | Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz). Input voltage: 200 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3Hz) (China & India)  |
| <b>Print Technology</b>                        | Ink  |
| <b>Print colors</b>                            | Yes  |
| <b>Print colors maximum</b>                    | 4  |
| <b>Print head nozzles</b>                      | 328 (black), 588 (color)   |
| <b>Print heads</b>                             | 2 (1 each black, tri-color)  |
| <b>Print languages</b>                         | HP PCL 3 GUI   |
| <b>Print speed black (ISO)</b>                 | Up to 7.5 ppm  |
| <b>Print speed black (draft, A4)</b>           | Up to 20 ppm   |
| <b>Print speed black (draft, letter)</b>       | Up to 20 ppm   |
| <b>Print speed color (ISO)</b>                 | Up to 5.5 ppm  |
| <b>Print speed color (draft, A4)</b>           | Up to 16 ppm   |
| <b>Print speed color (draft, letter)</b>       | Up to 16 ppm   |
| <b>Print speed color (normal, 10x15 photo)</b> | As fast as 65 sec  |
| <b>Print speed color (normal, 4x6 photo)</b>   | As fast as 65 sec  |
| <b>Print technology</b>                        | HP Thermal Inkjet  |
| <b>Printer drivers included</b>                | HP PCL 3 GUI   |
| <b>Product logos</b>                           | Energy Star; Works with Microsoft Vista; Windows 7; Hi-Speed USB; PAP 20; Fragile; Keep out of Rain; This side up; stacking height (7); recycle; ColorLok; Smartway (NA only); Eco highlights; HP Total Care |
| <b>Product name (back)</b>                     | DeskJet 2332   |
| <b>Product name (front)</b>                    | DeskJet 2332   |
| <b>Product name (primary)</b>                  | DeskJet 2332   |
| <b>Product name (secondary)</b>                | DeskJet 2332   |
| <b>Quantity per pallet</b>                     | 72   |



|  |   |
|--|---|
| <b>RMN number</b>                              | SNPRH-1504-01   |
| <b>Recommended monthly page volume</b>         | 50 to 100   |
| <b>Recommended operating humidity range</b>    | 20 to 80% RH  |
| <b>Recommended operating temperature range</b> | 59 to 86°F  |
| <b>Recommended operating temperature range</b> | 15 to 30°C  |
| <b>Right margin (A4)</b>                       | 3 mm  |
| <b>Safety</b>                                  | IEC 60950-1:2005 +A1:2009 +A2:2013, EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013, EN 62479:2010; Nemko certified, China (CCC), Russia (EAC), CSA Canada certified, Singapore SPRING, EU LVD compliant  |
| <b>Scan resolution, hardware</b>               | Up to 1200 x 1200 dpi   |
| <b>Scan resolution, optical</b>                | Up to 1200 dpi  |
| <b>Scan size, maximum</b>                      | 216 x 297 mm  |
| <b>Scan size, maximum</b>                      | 8.5 x 11.69 in  |
| <b>Send to email capability</b>                | No  |
| <b>Service &amp; support features</b>          | With services, software, solutions and support from HP Total Care, you can use, protect and enjoy your HP technology; one-year technical support; one-year limited hardware warranty; access to 24/7 award-winning support services through <a href="http://www.hp.com/support">http://www.hp.com/support</a> ; to improve your product experience, please take the time to register at <a href="http://www.register.hp.com">http://www.register.hp.com</a> |
| <b>Service &amp; support options</b>           | Protect your investment—HP Total Care offers a variety of extended warranties and services, go to <a href="http://www.hp.com/support">http://www.hp.com/support</a>   |
| <b>Standard input capacity (cards)</b>         | Up to 20 cards  |
| <b>Standard input capacity (envelopes)</b>     | Up to 5   |
| <b>Standard input capacity (legal)</b>         | Up to 60 sheets   |
| <b>Standard output capacity (cards)</b>        | Up to 20 cards  |
| <b>Standard output capacity (envelopes)</b>    | Up to 5 envelopes   |
| <b>Standard output capacity (labels)</b>       | Up to 10 sheets   |
| <b>Standard output capacity (legal)</b>        | Up to 25 sheets   |
| <b>Storage device and direct print support</b> | Storage devices not supported   |
| <b>Storage temperature range</b>               | -40 to 140°F  |
| <b>Storage temperature range</b>               | -40 to 60°C   |
| <b>Sub-brand name</b>                          | Deskjet   |
| <b>System requirements, recommended</b>        | Windows 10, 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer   |

|  |   |
|--|---|
| <b>Target user and print volume</b>              | For teams up to 3 users; Prints up to 100 pages/month |
| <b>Tariff numbers</b>                            | 8443310000  |
| <b>Top key features</b>                          | Scan to PDF   |
| <b>Top margin (A4)</b>                           | 3 mm  |
| <b>Transparency adapter</b>                      | No  |
| <b>Transparent materials adapter (supported)</b> | No  |
| <b>Twain version</b>                             | Version 2.1   |
| <b>UPC number</b>                                | (AB0) 194721098177; (BGM) 194721098184                |
| <b>Vertical alignment accuracy</b>               | +/- 0.00167 in  |
| <b>Vertical alignment accuracy</b>               | +/- 0.042 mm  |

---

*[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.*

*[4] Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://hp.com/go/learnaboutsupplies>*

*[6] For more information about page yields for replacement cartridges see <http://hp.com/go/learnaboutsupplies> for setup cartridges click on Setup supplies link on the same page.*

---

### Ink Supplies

★ : Recommended

#### HP Inkjet Printer Cartridges and Ink Supplies

|  |         |
|--|---------|
| HP 305 Black Original Ink Cartridge                                  | 3YM61AE |
| HP 305 Tri-color Original Ink Cartridge                              | 3YM60AE |
| HP 305XL 2-pack High Yield Black/Tri-color Original Ink Cartridges   | 6ZA94AE |
| HP 305XL High Yield Black Original Ink Cartridge                     | 3YM62AE |
| HP 305XL High Yield Tri-color Original Ink Cartridge                 | 3YM63AE |
| HP 67 2-pack Black/Tri-color Original Ink Cartridges                 | 3YP29AN |
| HP 67 Black Original Ink Cartridge                                   | 3YM56AA |
| HP 67 Black Original Ink Cartridge                                   | 3YM56AN |
| HP 67 Tri-color Original Ink Cartridge                               | 3YM55AA |
| HP 67 Tri-color Original Ink Cartridge                               | 3YM55AN |
| HP 67XL 2-pack High Yield Black Original Ink Cartridges              | 6ZA53BN |
| HP 67XL 2-pack High Yield Black/Tri-color Original Ink Cartridges    | 3YP31BN |
| HP 67XL High Yield Black Original Ink Cartridge                      | 3YM57AA |
| HP 67XL High Yield Black Original Ink Cartridge                      | 3YM57AN |
| HP 67XL High Yield Black/67 Tri-color 2-pack Original Ink Cartridges | 3YP30AN |
| HP 67XL High Yield Tri-color Original Ink Cartridge                  | 3YM58AA |
| HP 67XL High Yield Tri-color Original Ink Cartridge                  | 3YM58AN |
| HP 67XXL Extra High Yield Black Original Ink Cartridge               | 3YM59AA |
| HP 67XXL Extra High Yield Black Original Ink Cartridge               | 3YP33BN |
| HP 67XXL Extra High Yield Tri-color Original Ink Cartridge           | 3YP32BN |
| HP 805 Black Original Ink Cartridge                                  | 3YM73AA |
| HP 805 Tri-color Original Ink Cartridge                              | 3YM72AA |
| HP 805XL High Yield Black Original Ink Cartridge                     | 3YM71AA |
| HP 805XL High Yield Tri-color Original Ink Cartridge                 | 3YM70AA |

#### HP Paper Designed for Inkjet Printers

##### HP Inkjet Photo Paper

|   |        |
|---|--------|
| HP Advanced Glossy Photo Paper-25 sht/4 x 6 in borderless | 3AG54A |
| HP Advanced Glossy Photo Paper-25 sht/5 x 7 in            | 3AG55A |
| HP Matte Photo Paper-25 sht/10 x 15 cm                    | 7HF70A |

## HP Inkjet Brochure Paper

HP Enhanced Business Inkjet Matte FSC Paper 150 gsm-150 sht/Letter/8.5 x  
11 in

9ZE20A

---

### Disclaimer — Copyright

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Nov 23, 2020 6:26 AM UTC+0000