

HP LaserJet MFP M72625dn printer



Count on legendary HP performance and reliability at a low price. Help increase value and decrease budget with low running costs. This easy-to-use MFP is ready to take on your business printing with robust paper handling and versatile options.



HP Quality, Affordable Price

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Print premium, professional-quality documents with sharp text and crisp graphics.
- Get consistent, professional-quality and performance you count on with Original HP toner cartridges and drums.

Solid Productivity

- Send scans to email or your PC, right from the MFP. Capture and send for simple filing and sharing.
- Load up to 100 pages into the auto document feeder. Optional inner finishing can increase office productivity.

Solid Productivity

- Easy-to-use 7" intuitive touchscreen color graphic display helps keep business moving
- Print and share documents from mobile devices via Airprint™, Mopria® and Google Cloud Print™.
- Identify new devices and gain insight into printing with HP Web Jetadmin remote discovery and monitoring.¹

Security Capabilities

- Help ensure important documents and confidential information stay secure.
- Help regulate printing costs by assigning which users have authorized permissions.
- Protect data and network from unauthorized access with encryption, overwriting, industry standard security.

Product walkaround

HP LaserJet MFP M72625dn

1. Easy-access USB port¹
2. 500-sheet output bin
3. Ethernet 10/100/1000Base-TX, USB 2.0 device port; 2 Hi-speed USB 2.0 host ports, optional wireless networking²
4. Built-in automatic two-sided printing
5. 520-sheet tray 2 supports media up to A4
6. 520-sheet tray 3 supports media up to A3
7. 100-sheet reversing ADF
8. 17.8 cm (7.0 inch) colour touchscreen
9. Flatbed scanner handles sheets up to 297 x 432 mm
10. Right door (access to the print path)
11. 100-sheet multipurpose tray 1 supports media up to A3
12. Front door access to toner cartridges



Accessories, Supplies and Support

| | |
|--|---|
| Supplies | W1002YC HP W1002YC Black Contract LaserJet Toner Cartridge (33,000 pages) |
| | W9006MC HP W9006MC Black Managed LaserJet Imaging Drum (~200,000 pages) |
| | W9007MC HP W9007MC Managed LaserJet Toner Collection Unit (100,000 pages) |
| | Z9M06A HP LaserJet 110V Fuser Assembly |
| | Z9M07A HP LaserJet 220V Fuser Assembly |
| | Z7Y83A HP LaserJet E7 Trays 2-x Rollers |
| | Z7Y88A HP LaserJet MP Roller |
| | Z9M08A HP LaserJet Transfer Roller |
| | Z9M05A HP LaserJet Black Developer Unit |
| | 3KR68A HP ADF Separation Pad |
| 3KR69A HP ADF Pick Roller Assembly | |
| Accessories | 6KW89A HP LaserJet MFP Analog Fax Accessory 160 |
| | Y1F97A HP LaserJet Dual Cassette Workgroup Feeder |
| | Y1G00A HP LaserJet Inner Finisher |
| | Y1G02A HP LaserJet Inner Finisher Hole 2/3 Punch |
| | Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch |
| | Y1G13A HP LaserJet Inner/Booklet Staples |
| | Y1G15A HP LaserJet Workgroup Job Separator |
| Y1G17A HP LaserJet Printer Cabinet | |
| Y1G23A HP LaserJet Second Exit Accessory | |
| Service and Support | U9VU4E HP 1 year Next Business Day w/Defective Media Retention Service for LaserJet M726xx MFP |
| | U9VV1E HP 1 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only) |
| | U9VV2E HP 3 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only) |
| | U9VV3E HP 4 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only) |
| | U9VV4E HP 5 year Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only) |
| | U9VV9PE HP 1 year Post Warranty Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only) |
| | U9VW0PE HP 2 year Post Warranty Parts Exchange Service for LaserJet M726xx MFP (Managed Component Only) |

¹ Easy-access USB port for printing without a computer and upgrading the firmware. ² The HP LaserJet MFP M72625dn and M72630dn can both add wireless networking with selection of the optional Wireless LAN/NFC kit. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

Technical specifications

| | |
|--------------------------------------|--|
| Model | HP LaserJet MFP M72625dn printer |
| Product number | Z2N49A |
| Functions | Print, Copy, Scan (fax and wireless optional) |
| Control panel | 4 LED Lights (Power/Wakeup, Interrupt, Status, ECO); 24 Buttons (Power/Wakeup, Interrupt, Stop, Start, Job Status, Counter, Eco, Clear, Redial/Pause, Logout/ID, On Hook Dial, Reset, 12 Numeric Keypad (0-9, *, #)) |
| Print | |
| Print technology | Laser |
| Print speed | Black (A4, normal): Up to 25 ppm; Black (A4, duplex): Up to 19 ipm |
| First page out | Black (A4, ready): As fast as 8.5 sec; Black (A4, sleep): As fast as 31.5 sec |
| Print resolution | Black (best): Up to 1200 x 1200 dpi (with reduced speed) |
| Monthly duty cycle | Up to 80,000 pages (per month) A4; Recommended monthly page volume: Up to 40,000 pages (per month) |
| Standard print languages | PCL6, Postscript 3, PDF (v1.7) |
| Fonts and typefaces | PCL: 95 Scalable Fonts (Include OCR-A / OCR-B); 1 Bitmap, PS3: 136 Scalable Fonts |
| Print area | Print margins: Top: 4 mm, Bottom: 4 mm, Left: 4 mm, Right: 4 mm; Maximum print area : 297 x 432 mm |
| Duplex printing | Automatic (standard) |
| Copy | |
| Copy speed | Black (A4): Up to 25 cpm |
| Copier specifications | ID Copy, N-Up, Booklet, Auto Fit, Book Copy, Watermark, Stamp, Job Build, Edge Erase, Image Shift, Image Adjustment, Background Adjustment, Preset Programs; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 600 x 600 dpi; Reduce/Enlarge: 25 to 400% |
| Scan | |
| Scan speed | Normal (A4): Up to 45 ipm (b&w), up to 45 ipm (color) ; Duplex (A4): Up to 18 ipm (b&w), up to 18 ipm (color) |
| Scan file format | PDF, JPG, TIFF, XPS, Searchable PDF (with optional HDD), Compact PDF, PDF/A, PDF Encryption, Digital Signature in PDF |
| Scanner specifications | Scanner type: Flatbed, Reverse ADF, Mirror Moving Type(MMT) Scanner with Color CCD; Scan technology: Color CCD; Scan input modes: Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory (with optional HDD); Save to PC Scan software: user application via TWAIN or WIA; Twain version: Version 1.9; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 297 x 437 mm; Optical scan resolution: Up to 600 x 600 dpi |
| Scanner advanced features | Scan destinations: Email; FTP; SMB; USB; WSD; PC |
| Scannable area | Minimum media size (flatbed): 25.4 x 25.4 mm Maximum media size (flatbed): 297 x 437 mm; Minimum media size (ADF): 140 x 130 mm Maximum media size (ADF): 297 x 437 mm |
| Bit depth/ Grey scale levels | 2-bit / 256 |
| Fax | |
| Fax | Yes; 33.6 kbps |
| Fax specifications | Fax memory: Up to 320 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; 256 levels of gray; Superfine: 300 x 300 dpi, 256 levels of gray; Quick dialing: Up to 500 |
| Fax smart software features | Auto Redial; Caller ID; Secure Reception; Fax forwarding to Fax/Email/SMB/FTP; Job Build |
| Processor speed | 1 GHz (dual core) |
| Connectivity | |
| Standard | Hi-Speed USB 2.0; Host USB; built in Gigabit Ethernet 10/100/1000 Base-TX network port |
| Optional | Wireless LAN/NFC kit (China SS474E#AB2); (India SS474F#ACJ);(RoAP SS474B#EEE); Foreign Device Interface Kit (China SS421C#AB2); (India SS421D#ACJ); (RoAP SS421B#EEE); Fax kit (China SS411E#AB2); (India SS411F#ACJ); (Taiwan SS411C#ABD); (Vietnam SS411F#ACJ); (RoAP SS411B#EEE) |
| Mobile printing capability | Apple AirPrint, Mopria-certified, Google Cloud Print, PrinterOn Cloud Print |
| Supported network protocols | TCP/IPv4; IPv6; DHCP; BOOTP; AutoIP; DNS; DDNS; WINS; Standard TCP/IP; LPR/LPD; IPP; ThinPrint; Google Cloud Print; AirPrint; WSD print; FTP print; HTTP; SNMP(V1/2c/3);Telnet; SLP; Bonjour; UPnP(SSDP);WSD Discovery; SMTP; FTP; LDAP; SMB; Kerberos |
| Network capabilities | Standard (built-in Gigabit 10/100/1000 Ethernet) |
| Hard disk | Optional 320 GB (user available 300) hard disk drive |
| Memory | Standard: 1.5 GB; Maximum: 1.5 GB |
| Media handling | |
| Number of paper trays | Standard: 3; Maximum: 5 |
| Media types | Paper (Plain, HP EcoEICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Matte 200g, Cardstock 176-220g, Labels, Letterhead, Envelope, Preprinted, Colored) |
| Media size | Custom (metric): Tray 1: 98 x 148 to 297 x 432 mm; Tray 2: 148 x 210 to 297 x 354 mm; Tray 3: 148 x 210 to 297 x 432 mm Supported (metric): A3; A4; A5; A6; B4 (UIS); B5 (UIS); 8K; 16K; Oficio 216x340mm ADF: A3; A4; A5; B4; Legal; Letter; 11 x 17; Statement; Width: 148 to 297 mm (5.8 to 11.7 in); Length: 148 to 432 mm (5.8 to 17 in) |
| Media handling | Standard input: 1140 sheets; 100-sheet multi-purpose tray, 2 x 520-sheet input tray STD Standard output: 500 sheet face-down output bin Optional input: Optional 2 x 520 Dual Cassette Feeder ADF: Up to 100 sheets |
| Media weight | Tray 1: 60 to 175 g/m ² ; Tray 2, 3: 60 to 220 g/m ² |
| Input capacity | Tray 1: Sheets: 100; Envelopes: 40 Tray 2: Sheets: 520 Tray 3: Sheets: 520 Maximum: Up to 2280 sheets ADF: Up to 100 sheets |
| Output capacity | Standard: Up to 500 sheets Envelopes: Up to 40 envelopes Maximum: Up to 550 sheets (with optional inner finisher) |
| Compatible operating systems | Windows XP (32/64 bit), Vista (32/64 bit), 2003 Server (32/64 bit), 2008 Server (32/64 bit), Win7 (32/64 bit), 2008 Server R2 (64 bit), Win8 (32/64 bit), Win8.1 (32/64 bit), 2012 Server (64 bit), 2012 Server R2 (64 bit) / Mac OS 10.6- 10.10 / Linux: Red Hat Enterprise Linux 5, 6, 7 / Fedora 13, 14, 15, 16, 17, 18, 19, 20, 21 / openSUSE 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, 13.2 / Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04, 14.04, 14.10 / SUSE Linux Enterprise Desktop 11, 12 / Debian 6, 7 / Mint 13, 14, 15, 16, 17 |
| Compatible network operating systems | Windows XP Service Pack 3, Windows Server 2003, Windows Vista, Windows 7/8, Windows Server 2008 R2, Windows 10, Windows Sever 2016, Mac OS X 10.6-10.10, Linux: Red Hat Enterprise Linux (5, 6, 7), Fedora (15, 16, 17, 18, 19, 20, 21, 22), openSUSE (11.4, 12.1, 12.2, 12.3, 13.1, 13.2), Ubuntu (11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, 15.04, 15.10), SUSE Linux Enterprise Desktop (11, 12), Debian (6, 7, 8), Mint (13, 14, 15, 16, 17) |
| Minimum system requirements | Windows: Windows XP Service Pack 3 and Windows XP SerServer 2003: Intel Pentium III 1 GHz (Pentium IV 2 GHz), RAM: 512 MB (1 GB), Free HDD Space: 1.5 GB; Windows XP SerServer 2008: Intel Pentium III 1 GHz (Pentium IV 2 GHz), RAM: 512 MB (2 GB), Free HDD Space: 10 GB; Windows Vista, Intel Pentium IV 3 GHz, RAM: 512 MB (1 GB), Free HDD Space: 15 GB; Windows 7: Intel Pentium IV 1.4 GHz (x64) processors (2 GHz or faster), RAM: 512 MB (2 GB); Windows 8, Windows 8.1, Windows 10, Windows Server 2016: Intel Pentium IV 1 GHz 32-bit or 64-bit processor or higher, RAM: 2 GB (2 GB), Free HDD Space: 20 GB; Windows Server 2012, Windows Server 2012 R2: Intel Pentium IV 1.4 GHz (x64) processors (2 GHz or faster), RAM: 512 MB (2 GB), Free HDD Space: 32 GB Mac: CPU: Intel® processors; RAM: 1 GB (2 GB); Free HDD space: 1 GB; Operating system: Mac OS X 10.6. CPU: Intel® processors; RAM: (2 GB); Free HDD space: 4 GB; Operating system: Mac OS X 10.7-10.10 |
| Software included | HP LJ Network PC Fax, HP MFP Scan, HPMFP Scanto PC Setup, HP OCR Software, HP LaserJet Printer Software Uninstaller |
| Security management | Embedded Web Server: password protection, configurable login failure policy, configurable auto logout, secure browsing via SSL/TLS; Security Management: IP and Mac Filtering; Security protocol: 802.1x (EAP-MDS, EAP-MSCHAPv2, PEAP, TLS), IPsec, SNMPv3, User authentication: LDAP, SMB, Kerberos |
| Printer management | HP Web Jetadmin - discover and monitor |
| Dimensions and weight | |
| Printer dimensions (W x D x H) | Minimum: 566 x 620 x 820 mm; Maximum: 977 x 620 x 1080 mm |
| Printer weight | 59.5 kg |
| Operating environment | Temperature: 15 to 30°C Humidity: 20 to 80% RH |
| Storage conditions | Temperature: -10 to 40°C Humidity: 10 to 80% RH |
| Acoustics | Acoustic power emissions: 6.6 B(A) (printing mono simplex, A4 at 25 ppm) Acoustic pressure emissions: 50 dB(A) (printing mono simplex, A4 at 25 ppm) |
| Power | Requirements: Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%). Not dual voltage, power supply varies by part number with # Option code identifier.; Consumption: 590 watts (printing), 590 watts (copying), 100 watts (ready mode), 1.5 watts (sleep); Power supply type: Internal (built-in) power supply |
| Certifications | Electromagnetic emission standard: CISPR 32: 2012/EN 55032: 2012 Class A, EN 61000-3-2: 2014, EN 61000-3-3:2013, EN 55024:2010, GB9254-2008, GB17625.1-2012, EMC Directive 2014/30/EU with CE Marking (Europe), other EMC approvals as required by individual countries. ENERGY STAR® qualified; CECP Blue Angel compliant No; Please refer to the ECI document |
| Sustainable impact specifications | Mercury-free |
| Country of origin | Made in China |
| What's in the box | Z2N49A LaserJet MFP M72625dn Printer; Power Cable; Hardware Install Guide; Software CD (Includes User Guide) |
| Warranty | 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. |

Footnotes

¹ Not all HP Web Jetadmin features are supported on the HP LaserJet MFP M72625dn and HP LaserJet MFP M72630dn. HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

² Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

³ Purchase of optional paper tray required to reach maximum input capacity. Installation from HP Authorized service provider only.

Technical specifications disclaimers

¹ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

